

Revision date : 2021/04/05 Page: 1/10

Version: 5.0 (30521027/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

DD831 INTERMEDIATE 3/16"

Recommended use of the chemical and restriction on use

Recommended use*: Adsorbent for the chemical industry

Recommended use*: Industrial catalyst

Unsuitable for use: Not intended for sale to or use by the general public.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: metal oxides

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2021/04/05 Page: 2/10 Version: 5.0 (30521027/SDS GEN US/EN)

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

No applicable information available.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

The product contains:

CAS Number	<u>Weight %</u>	Chemical name
1344-28-1	80.0 - 91.0%	Aluminum oxide
13463-67-7	5.0 - 10.0%	Titanium dioxide

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

Revision date: 2021/04/05 Page: 3/10 Version: 5.0 (30521027/SDS GEN US/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder

Additional information:

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Hazards during fire-fighting: No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Avoid raising dust. Dampen, pick up mechanically and dispose of. Dispose of absorbed material in accordance with regulations. Do not discharge into drains/surface waters/groundwater. Reclaim for processing if possible.

7. Handling and Storage

Precautions for safe handling

Avoid dust formation. Avoid inhalation of dusts. Avoid contact with the skin, eyes and clothing. Wear suitable protective clothing and gloves. Provide suitable exhaust ventilation at the processing machines. Ensure adequate ventilation. Keep container tightly closed.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive. The substance/product is non-combustible.

Conditions for safe storage, including any incompatibilities

Segregate from flammable substances.

Suitable materials for containers: Low density polyethylene (LDPE), High density polyethylene (HDPE)

Revision date: 2021/04/05 Page: 4/10 Version: 5.0 (30521027/SDS GEN US/EN)

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Storage stability: Keep container dry.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Aluminum oxide ACGIH, US: TWA value 1 mg/m3 Respirable fraction;

OSHA Z1: PEL 5 mg/m3 Respirable fraction;

OSHA Z1: PEL 15 mg/m3 Total dust;

OSHA Z1A: TWA value 5 mg/m3 Respirable fraction;

OSHA Z1A: TWA value 10 mg/m3 Total dust;

Titanium dioxide ACGIH, US: TWA value 10 mg/m3;

OSHA Z1: PEL 15 mg/m3 Total dust;
OSHA Z1A: TWA value 10 mg/m3 Total dust;

The nuisance dust limit value is to be kept.

Particles, not otherwise ACGIH, US: TWA value 3 mg/m3 Respirable particles ;

specified, respirable OSHA Z1A: TWA value 5 mg/m3 Respirable fraction;

OSHA Z1A: TWA value 15 mg/m3 Total dust ;

OSHA Z3: TWA value 5 mg/m3 Respirable fraction ;

OSHA Z3: TWA value 15 mg/m3 Total dust;

OSHA Z3: TWA value 50 millions of particles per cubic foot

of air Total dust;

OSHA Z3: TWA value 15 millions of particles per cubic foot

of air Respirable fraction;

Particles, not otherwise ACGIH, US: TWA value 10 mg/m3 Inhalable particles ;

specified, inhalable OSHA Z1A: TWA value 15 mg/m3 Total dust;

OSHA Z3: TWA value 15 mg/m3 Total dust;

OSHA Z3: TWA value 50 millions of particles per cubic foot

of air Total dust;

Advice on system design:

Ensure adequate ventilation. Provide local exhaust ventilation to maintain recommended P.E.L.

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Wear appropriate certified respirator when exposure limits may be exceeded. Wear a NIOSH-certified (or equivalent) particulate respirator.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Safety glasses with side-shields.

Revision date: 2021/04/05 Page: 5/10 Version: 5.0 (30521027/SDS GEN US/EN)

Body protection:

Freezing point:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form: spheres Odour: odourless

Odour threshold: not applicable, odour not perceivable

Colour: white

pH value: not applicable > 55 °C Melting point: not determined

No data available. not determined

Boiling point: Boiling range: No data available. Flash point: not applicable, the product is a solid Flammability: Not a flammable solid according to

UN transport regulations division 4.1

and GHS chapter 2.7.

The product is not combustible.

Lower explosion limit: For solids not relevant for

classification and labelling. For solids not relevant for

Upper explosion limit:

classification and labelling.

not applicable for mixtures

SADT: Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Vapour pressure: (20°C) negligible

700 - 768 kg/m3

(20°C)

The product is a non-volatile solid. Vapour density:

Partitioning coefficient n-

octanol/water (log Pow):

not self-igniting

Self-ignition temperature:

Bulk density:

Thermal decomposition: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. No decomposition if correctly

stored and handled.

Viscosity, dynamic: not applicable, the product is a solid

Solubility in water: insoluble Miscibility with water: not soluble

Evaporation rate: The product is a non-volatile solid.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Revision date: 2021/04/05 Page: 6/10 Version: 5.0 (30521027/SDS GEN US/EN)

Oxidizing properties:

Not an oxidizer. Reactions with

Reaction with: water

water/air:

Flammable gases: no Toxic gases: no

Chemical stability

The product is chemically stable.

Peroxides: The product does not contain peroxides. The product/the substance has

not a tendency towards the formation of peroxide.

Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

Avoid dust formation. Avoid deposition of dust.

Incompatible materials

Sodium nitrate, vinyl acetate, zinc, Aluminum, oxidizing agents, epoxide, acids, alkali metals

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products known.

Thermal decomposition:

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. No decomposition if correctly stored and handled.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Not expected to be acutely toxic. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Aluminum oxide (Al2O3), hydrate

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Metal oxide

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Revision date: 2021/04/05 Page: 7/10 Version: 5.0 (30521027/SDS GEN US/EN)

Oral

Type of value: ATE Value: > 5,000 mg/kg

Inhalation

Type of value: ATE Value: > 5 mg/l Exposure time: 4 h Determined for dust

Information on: Titanium dioxide

Type of value: LC50

Species: rat

Value: > 6.82 mg/l (other)
Exposure time: 4 h
Tested as dust aerosol.
No mortality was observed.

Dermal

Type of value: ATE Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Based on available Data, the classification criteria are not met. Contact with the eyes or skin may cause mechanical irritation. The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization: Based on available Data, the classification criteria are not met.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs. Based on available Data, the classification criteria are not met.

Information on: Aluminum oxide

Assessment of repeated dose toxicity: Repeated inhalative uptake of the substance did not cause substance-related effects.

Genetic toxicity

Assessment of mutagenicity: Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: Based on available Data, the classification criteria are not met.

Revision date: 2021/04/05 Page: 8/10 Version: 5.0 (30521027/SDS GEN US/EN)

Information on: Titanium dioxide

Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.

Reproductive toxicity

Assessment of reproduction toxicity: Based on available Data, the classification criteria are not met.

Teratogenicity

Assessment of teratogenicity: Based on available Data, the classification criteria are not met.

Other Information

The product has not been tested. The statement has been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

12. Ecological Information

Additional information

Other ecotoxicological advice:

The product has not been tested. The statement has been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with local authority regulations. Disposal requirements are dependent on the hazard classification and will vary by location and the type of disposal selected. All waste materials should be reviewed to determine the applicable hazards (testing may be necessary). Used catalysts may have different hazardous properties than the original products.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Revision date: 2021/04/05 Page: 9/10 Version: 5.0 (30521027/SDS GEN US/EN)

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

EPCRA 313:

State regulations

State RTK	CAS Number	Chemical name
PA	1344-28-1	Aluminum oxide
	13463-67-7	Titanium dioxide
MA	1344-28-1	Aluminum oxide
	13463-67-7	Titanium dioxide
NJ	1344-28-1	Aluminum oxide
	13463-67-7	Titanium dioxide

NFPA Hazard codes:

Health: 1 Fire: 0 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 0 Physical hazard: 0

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2021/04/05

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date : 2021/04/05 Page: 10/10 Version: 5.0 (30521027/SDS_GEN_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE, NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**